

**FASTENING SYSTEMS** **EASYHOLD**



**J-BOXES** 



**EASYTRUNKING**



**EASYHOLD**

# GENERAL PURPOSE, ELECTRICAL



## EH J1 ABS

125 x 80 x 25 mm



- Attractive slim-line 4 x 2 housing
- Six inlets through sides and base including a 20 mm punch out for direct conduit connection
- Fits almost anywhere including on most flush mounting boxes
- Facilitates up to 20 connections using holding plate
- Supplied with cover plate screws and mini-plugs for fixing to the wall

## EH J2 ABS


165 x 123 x 40 mm



- Slide on double latching cover
- Outlets through 3 x 20 mm punch out in bottom and 1 x 25 mm in base
- Fits almost anywhere including on most 4 x 4 flush mounting boxes
- Facilitates up to 30 connections capable of holding cable cores sizes ranging from 0.7 mm through to 3 mm diameter
- Supplies with cable ties, plugs and anchors for complete fixing

## EH J3 ABS

64 x 44 x 28 mm



- Four inlets points. (Pierce hole to cable size at inlet point with star screwdriver)
- Facilitates up to 6 connections using holding plate
- Supplied with cover plate screw

## EH J4 ABS

120 x 114 x 42 mm



- Facilitates up to 6 connections either direct or via 20mm glands
- Fits on and links to 4 x 4 flush mounted boxes
- Great option for mounting CCTV cameras

## EH J5 ABS

195 x 150 x 65 mm



- Removable base plate (3 x 20mm punch-outs) for easy working
- Slide on cover
- Supplied with EASYHOLD anchors and isolator fixing mounts
- Secures LMG, NWI and SBU isolators
- SABS tested (IP 43 rating)

## EH J6 ABS

148 x 95 x 52 mm



- Marks top and bottom for gland positioning
- Supplied with EASYHOLD anchors and isolator fixing mounts
- Secures LMG, NWI and SBU isolators

## EH J12-1P ABS

116 x 154 x 76 mm



- Standard 4 x 2 outdoor enclosure
- Special slide out gland plate for easy fitting
- Supplied with screws for fixing socket
- Secures LMG, NWI and SBU isolators

## EH J12-2P ABS

161 x 154 x 76 mm



- Standard 4 x 4 outdoor enclosure
- Special slide out gland plate for easy fitting
- Supplied with screws for fixing socket
- Optional mounting plate for mounting LMG isolators

● = Stand offs for PC board mounting ABS = Made from ABS  
▲ = Accommodates MG, SBU and NWI insulators

## FEATURES

# GENERAL PURPOSE, SECURITY & CCTV



## EH J4 ABS

120 x 114 x 42 mm



- Facilitates up to 6 connections either direct or via 20mm glands
- Fits on and links to 4 x 4 flush mounted boxes
- New four screw design
- Great for mounting CCTV
- All necessary mounting screws/plugs supplied

## EH J10 ABS

148 x 95 x 52 mm



- Comes with flat lid
- Great for mounting CCTV
- All necessary mounting screws/plugs supplied

## EH J11 ABS

115 x 115 x 61 mm



- Comes with seal and IP 55 rating
- Marks for gland positioning
- Great for mounting CCTV
- All necessary mounting screws/plugs supplied

## EH J17 FL ABS

120 x 120 x 58 mm



- SABS tested to IP 66 Rating
- Great for mounting CCTV cameras and housing circuit boards
- All necessary mounting screws/plugs supplied

# EASYHOLD



**A COMBINATION OF LIDS AND BASES PROVIDES A SOLUTION TO THE CUSTOMER'S REQUIREMENTS**

**WONDERBOX**



**EH J7**

**ABS**

**SSL** 270 x 240 x 58 mm

**LSL** 270 x 240 x 92 mm

**SFL** 270 x 240 x 62 mm

**LFL** 270 x 240 x 96 mm



**DS** 270 x 240 x 108 mm

**DSL** 270 x 240 x ? mm

**DL** 270 x 235 x 180 mm

**ABS** = Made from ABS

**EH J8**

**ABS**

**SL** 222 x 202 x 80 mm



**FL** 224 x 204 x 90 mm

**DB** 222 x 206 x 160 mm



**EH J9**

**ABS**

**SL** 168 x 160 x 65 mm

**FL** 172 x 160 x 68 mm



**DB** 162 x 150 x 116 mm



**EH J16**

**ABS**

**FL** 345 x 315 x 175 mm



- SABS tested to a IP 65 Rating
- All necessary mounting screws/ plugs supplied

**SL** 345 x 310 x 135 mm



- SABS tested to a IP 43 Rating
- Made from ABS
- All necessary mounting screws/ plugs supplied

## DIN RAIL DB BOXES



**EH J14-D2**


150 x 52 x 65 mm



- One circuit breaker window expandable to two
- No open gaps for insect infestation
- Sealable for tamperproof
- Attractive and compact
- Marks for gland positioning
- Din rail and mounting screws supplied

**EH J14-D4**

64 x 44 x 28 mm



- Three circuit breaker windows expandable to four
- No open gaps for insect infestation
- Sealable for tamperproof
- Attractive and compact
- Marks for gland positioning
- Din rail and mounting screws supplied

**EH J15-D5**

224 x 204 x 90 mm



- Four circuit breaker windows expandable to five
- Attractive and compact
- Din rail and mounting screws supplied

**EASY JOINT - EH EJ5/20**

5 amp / 20 amp



- Helping you make a safe joint
- Supplied with 5 amp or 20 amp terminal strip
- Available in black or white



**EXTRA STRONG**  
Made from engineered thermo-plastic

# EASYTRUNKING

**FIX BRACKETS OVER  
CABLES IN CORNERS OR  
ON FLAT SURFACES**

**CLIP COVER ON:**

- WALL TO FLOOR
- WALL TO WALL
- WALL TO CEILING

**CAN BE MOUNTED OVER  
EXISTING CABLES**

**ETC 12K**

- 56 MM COVER
- 2 M LENGTH

**PLUS**  
4 BRACKETS

**ETC 22K**

- 100 MM COVER
- 2 M LENGTH

**PLUS**  
4 BRACKETS

**ETC 13K**

- 56 MM COVER
- 3 M LENGTH

**PLUS**  
5 BRACKETS

**ETC 23K**

- 100 MM COVER
- 3 M LENGTH

**PLUS**  
5 BRACKETS

Established in 1989, Easyhold is a fast transforming innovative electrical product development and manufacturing company. From humble beginnings, Easyhold has become a trend setter in the industry.

Our wide range of unique products, including junction boxes, fasteners and much more, aims to offer excellent quality products, manufactured locally, at competitive prices.

# EASYHOLD