

PT-P700


brother
at your side



Professional PC Labelling Machine

Simply connect to your PC to design and print labels for use all around the office.

- Compatible with Windows and Mac
- No printer driver installation needed
- Includes AC adaptor and USB cable
- Prints 6, 9, 12, 18 and 24mm laminated labels
- Tape type and colour detection (Labelling software fully installed)





“The built-in label design software and fast print speed makes it so easy to create labels whenever I need them - simply plug-in and print.”

P-touch
P700

Design then print durable labels on your Mac or Windows PC

The P-touch P700 takes the hassle out of organising your office by clearly identifying the contents of file folders, archived documents, data backup discs/USB sticks and shelves. The inbuilt software allows you to use your PC's fonts and include images, logo's and frames on your labels. P-touch labels are available in many different sizes and colours to ensure that whatever label you need, the P-touch P700 can effortlessly produce them whenever or wherever they are required.

PT-P700 features



P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.

P-touch LABELS TESTED TO THE EXTREME

- Laminated**: Icon of a layered material.
- Temperature Resistant**: Icon of a thermometer.
- Water Resistant**: Icon of a water droplet.
- Fade Resistant**: Icon of a sun.
- Abrasion Resistant**: Icon of a brush scrubbing a surface.
- Chemical Resistant**: Icon of a beaker with a liquid splash.
- Easy Peel**: Icon of a label being peeled from a surface.
- Strong Adhesion**: Icon of a label being pulled away from a surface.

PT-P700

Clearly identify items with a durable P-touch label

Around the home, office, school, shop and other places of work, there are many uses for long lasting, durable P-touch labels. Common examples include:

- Cables and plugs
- CD's and DVD's
- Office equipment
- Filing cabinets
- Staff and visitor name badges
- Signage
- Mail rooms
- Notice boards
- Shelving
- Telephone extension numbers.



Technical Specifications

General

Carton contents	PT-P700 labelling machine 24mm black on white 4m tape cassette AC adapter USB cable Quick set-up guide
Language support	English, French, German, Dutch, Italian, Spanish, Portuguese, Danish, Norwegian, Swedish, Finnish*, Czech*, Hungarian*, Polish* *P-touch Editor Lite only

Features

Interface	USB 2.0 (Mini-B type connector)
Power	AC adapter (supplied) AA (LR6/HR6) alkaline/rechargeable batteries (not supplied)
Print speed	30mm / second (using AC adapter)
Print resolution	180 dpi
Maximum print height	18.1mm
Cutter type	Automatic full cutter
Label length	25mm - 300mm (P-touch Editor Lite) 25mm - 1000mm (P-touch Editor 5.1)
Vertical text printing	Yes
Mirror printing	Yes
Copies / Sequential numbering	1 - 200 (P-touch Editor Lite) 1 - 5000 (P-touch Editor 5.1)

Supplies

Tape	TZe tape cassettes
Tape widths	6, 9, 12, 18, 24mm

Weight & Dimensions

PT-P700 labelling machine	78 x 143 x 152mm ; 710g
---------------------------	-------------------------

Label Creation

Fonts	All installed true type fonts
Font styles	Normal, Bold, Italic, Underline, Outline, Shadow, Shadow Light, Horizontal, Surround, Frame Out, Inverted, Strikethrough
Font sizes	Up to maximum print height (approx. 72 point)
Symbols	All installed symbol true type fonts
Templates	88 (P-touch Editor 5.1)
Image support	JPG, BMP, TIFF, PNG, GIF, DIB, WMF, EMF, ICO, screen capture function
Frames	10 (P-touch Editor Lite) 153 (P-touch Editor 5.1)
Barcodes (P-touch Editor 5.1 only)	CODE 39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128), GS1 DATABAR (RSS), GS1 COMPOSITE, ISBN-2, ISBN-5, POSTNET, LASER BARCODE, GS1 DATABAR, PDF417, QR CODE, MICRO QR CODE, DATA MATRIX, MAXICODE, AZTECCODE
Database connection support (P-touch Editor 5.1 only)	csv, txt, mdb, xls Microsoft® SQL server database (Windows® only)

System requirements

Operating System	Microsoft® Windows Vista® Microsoft® Windows® 7 Microsoft® Windows® 8 Mac OS X 10.6.8/1.7.x/10.8.x
Interface	Windows®: USB Port (USB Spec. 1.1, 2.0 or 3.0 protocol) Mac: USB Port (USB Spec. 1.1 or 2.0 protocol)
Memory requirements	Windows Vista®: 512 MB or more Windows® 7: 1 GB (32-bit) or 2GB (64-bit) or more Windows® 8: 1 GB (32-bit) or 2GB (64-bit) or more Mac OS X : 2GB or more
Monitor	Windows : SVGA/High Color or more Mac : More than 256 colors
Others	CD-ROM/DVD-ROM drive Microsoft® Word 2003/2007/2010 Microsoft® Excel® 2003/2007/2010 Microsoft® Outlook® 2003/2007/2010



www.brother.co.za
<http://solutions.brother.com>




Brother International South Africa
96 Sovereign Drive, Route 21 Corporate Park, Irene
Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment
www.brotherearth.com



Japanese Excellence
For Over 100 Years