NETOGY



MINI 13200mAh IN-LINE UPS WITH Y-CABLE UPS30

Overview

The Netogy UPS30 Mini In-Line UPS delivers continuous power to small DC devices, like modems and routers during power outages.

Features



Emergency uninterruptible power supply

- perfect for load shedding.
- 7
- High-output power (30W).
- **4**
- High-capacity (13200mAh) Lithium-ion battery.


Safeguards against power surges, spikes, dips and failure.

- **(**
- Protects voltage sensitive devices.
- Intelligent voltage regulation.
- *‡*

Provides backup power between 4 to 10 hours (dependent on the number of connected devices).

Includes Y-Cable to connect to 2 devices, such as a Wireless Router and Fibre ONT.

Product Appearance




I2V DC Input Port (2.1mm)

12V DC Output Port (2.5mm)


Suitable For*

The Netogy UPS30 Mini 13200mAh In-Line UPS delivers continuous power to small DC devices like modems and routers, during power outages.



^{*}Ensure the voltage of the applicable device(s) you want to connect is supported.

Safety and Security



Application Diagram



*Use your router's original 12V DC 2.5 Amp power adapter

Specifications

Input Port

Voltage Range 12V DC @ 2.5 Amp max.

12V DC (Not included, use your router's original Mains Power Adapter

12V DC 2.5 Amp power adapter)

Output Port

Voltage Range 12V DC @ 2.5 Amp max.

30W Max Output Power

Battery

Type Lithium-ion

13200mAh (6 x 2200mAh) Capacity

Charge

Charging Period 12 Hours

Physical

 $130 \times 75 \times 42 \text{ mm}$ Unit Dimensions (mm)

Environment

Operating Temperature Input and Output Polarity

Box Content

- I x Mini 13200mAh In-Line UPS
- I x Y-Cable 2.5mm Male to Male
- Lx User Manual