

AE-DC4015-F5 Dashcam

Key Features

- Up to 1440P high resolution, with horizontal 105° wide angle, diagonal 123° .
- F1.8 super large aperture offer a perfect night image.
- Support built-in MIC and speaker for audio in and out.
- Built-in WIFI module and WIFI AP function supported.
- Built-in G-Sensor module, support video recording linkage at car crash or strong vibration. (Linkage video record can be configured be no-overwritten)
- TF card for video recording, 32GB to 256GB (Overwriting supported)
- Phone App: live view, record playback and parameter configuration.
- Support parking monitoring when G-sensor detects the vehicle is stationary, and automatically enters the parking monitoring (need buck line).
- Support low voltage protection (need buck line), enables low voltage protection function actively in parking monitoring mode. The power is automatically cut off when the battery voltage is less than 11.8 V.
- Abnormal power failure protection: built-in large capacity super capacitor, video snot lost during abnormal power failure for normal vehicles.
- Joint fragrance: customizes unique olfactory senses with top car fragrance enterprise.



Available Model


AE-DC4015-F5



Specifications

Model	AE-DC4015-F5
Camera	
Image sensor	CMOS
Resolution	1440P@30FPS
Angle adjustment	123° (D), 105° (H)
Aperture	F1.8
Video compression	H.265
Image format	JPEG
Storage	TF Card: 32 GB to 256 GB
Communication module	Wi-Fi
Sensor	G-sensor
Interfaces	
Power supply	USB
Audio input	MIC
Audio output	Built-in Loudspeaker
General	
Working temperature	-20 °C to 70 °C (-4 °F to 158 °F)
Working humidity	0% to 95%
Power supply	5 VDC, 2 A
Power consumption	≤3.5W
Dimension (L x W x H) (without bracket)	72.3mm × 61.5 mm × 81 mm (2.84" × 2.42" × 3/19")
Weight (Approx)	105 g (0.37 lb)

Dimensions



Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com