

Realtek 8188 150M USB WiFi Wireless Adapter Network LAN Card For Windows Mac Linux



Features:

Mini portable USB 2.0 design Wireless N speed up to 150Mbps, ideal for internet surfing and on-line gaming Complies with IEEE 802.11n (Draft 2.0), IEEE 802.11g, IEEE 802.11b standards

Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: +27 (012) 657 3500 sales@communica.co.za



Provides two work modes: Infrastructure and Ad-Hoc MIMO technology makes wireless transmission rates up to 150Mbps CCA technology enhances your signal stability by automatically avoiding channel conflicts Quick secure setup, complies with WPS for worry free wireless security Wireless security encryption easily at a push Of QSS button Seamlessly compatible with 802.11b/g/n devices



Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: 427 (012) 657 3500 sales@communica.co.za





Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: 427 (012) 657 3500 sales@communica.co.za





Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: +27 (012) 657 3500 sales@communica.co.za





Specifications: Realtek 8188 chipset Wireless Standards IEEE 802.11n, IEEE 802.11g, IEEE 802.11b Frequency Band 2.4GHz ISM (Industrial Scientific Medical) Band Peak Throughput 150Mbps Channel 1 - 13 channels (Universal Domain Selection)

Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: 427 (012) 657 3500 sales@communica.co.za



Supports 64/128-bit WEP, as well as WPA/WPA2 and WPA-PSK/WPA2-PSK encryption. Supports Windows XP/Vista/7/8/10, Mac OS X and Linux. Supports wireless roaming technology for high-efficient wireless connections. High speed USB 2.0 Interface

Package Include:

1x USB Wireless LAN Adapter 1x User Manual 1x Driver CD

> Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: 427 (012) 657 3500 sales@communica.co.za





 Pretoria:
 Head Office:
 Cape Town:

 Phone: +27 (012) 328 7008
 Phone: +27 (012) 657 3500
 Phone: +27 (021) 447 0949

 salespt@communica.co.za
 sales@communica.co.za
 salesc@communica.co.za



USB 2.0 802.IIN

Specifications

Wireless Standards	IEEE 802.11n (draft)IEEE 802.11gIEEE 802.11b
Host Interface	High speed USB2.0/1.1 interface
Data Rate	802.11n: up to 150Mbps (downlink) and 150Mbps (uplink) 802.11g: 54/48/36/24/18/12/9/6 Mbps auto fallback 802.11b: 11/5.5/2/1 Mbps auto fallback
Frequency Band	2.4GHz ISM (Industrial Scientific Medical) Band
Chipset	REALTEK 8188
RF Frequency	2412 ~ 2462 MHz (North America) 2412 ~ 2472 MHz (Europe) 2412 ~ 2484 MHz (Japan)
Radio Channel	1 ~ 14 channels (Universal Domain Selection)
Range Coverage	Up to 3 times farther range than 802.11g
Antenna type	Integrated Antenna
Roaming	Full mobility and seamless roaming from cell to cell
RF Output Power	13 ~17 dBm (Typical)
Data Security	64/128-bit WEP WPA, WPA-PSK, WPA2, WPA2-PSK. TKIP/AES
Media Access Control	CSMA/CA with ACK
Operating System	Windows 2000, XP Vista WIN7 Linux and MAC OS X
Environment	Operating Temperature: OoC to 40oC Storage Temperature: -20oC to 75oC Operating Humidity: 10% - 90% (Non Condensing) Storage Humidity: 5% - 95% (Non Condensing)

Specifications are subject to change without any prior notice.

FC CE O CE Bollsy

MADE IN P.R.C

Pretoria: Phone: +27 (012) 328 7008 salespt@communica.co.za

Head Office: Phone: +27 (012) 657 3500 sales@communica.co.za