


Overview

The RM433 remote controller is an advanced version for 4-button RF with 433MHz. Designed with 8 buttons to perform various functions in running on different types of devices. Such as fan speed adjustment, brightness setting, etc. The simple and stylish look gives any surface a beautiful decor when it is stored on the wall. Strong compatibility. It can be paired to control SONOFF BASICRF, RFR3, Slampher, iFan03, D1, 4CHProR2, TX series, 433 RF Bridge and other devices supporting 433 communication protocol and other devices supporting 433 communication protocol. Pairing with your devices is extremely simple and takes no time at all, simply press any button on the remote controller to pair with the device you need to control. Quick installation. Can match the base to be stored on the wall with double-sided 3M tapes or screws.

Note:

- 1. The base and 3M tapes are not included, please purchase them separately.**
- 2. To ensure you can listen to the pairing sound, please don't press the MUTE button when pairing with your device**



One-key pairing



Smooth touch




User-definable



Easy to install


Remote control

Turn on/off appliances when there is no WiFi connection.



One-key pairing

Reset it to pair with all SONOFF devices with just a press.




One button for multiple purposes

Can adjust the light intensity and fan speed.




User-definable

8 buttons can match 8 devices.



Contrast between the old and the new

Old version



New

Updated version

Sleek surface & smooth touch feeling. The new equals to the old two, just to customize the button.

Easy to store

Never look for it everywhere, just store it with the magnetic mount (not included).



More installation ways

Either mounted in the 86 type box or on the wall via the base (not included).



Certified battery included

The remote controller comes with a replaceable battery, which is safe and durable (Use a 27A 12V battery).



Specifications

Model: RM433

Base size: 86x86x15.8mm (not included)

Power supply: DC 12V (model: 27A)

Band: 433MHz

RF size: 86x45x12.5mm

Material: PC V0