


## Features

- 1080P real time image, high resolution, true color
- AHD lossless video output
- Up to 1000 TVL resolution
- CMOS progressive scan, perfectly capture the moving object
- Support OSD menu
- High speed, long distance, real time transmission
- Auto color to B/W at low illumination
- Support ICR switch, true day / night
- Support noise reduction function
- 20 ~ 30m IR night view distance
- IP66 ingress protection
- Support COC (Control Over Coax)
- Support 960H CVBS output

## Dimensions



## Available Accessories

Junction Box



TD-YXH0201

Pendant



TD-YZJ0802

Wall Mount



TD-YZJ0402

## Specifications

Model	TD-7525AE2
<b>Specifications</b>	
<b>Camera</b>	
Image Sensor	1 / 2.9 "CMOS
Resolution	1920 x 1080
Image System	PAL / NTSC
Iris Type	Fixed
Min. Illumination	0 Lux ( IR ON )
Lens	2.8 ~ 12 mm Vari-Focal
Lens Mount	D14
IR Distance	20 ~ 30 m
Water-proof	IP66
Video Output	1 x BNC selectable AHD / TVI / CVI / 960H CVBS
Image Size	1080P (1920 x 1080) / 960H (960 x 576)
Frame Rate	30fps ( 60Hz ), 25fps ( 50Hz )
Angle Adjustment	Any angle
<b>Functions</b>	
Video Format Output	Default AHD, TVI/CVI/CVBS Programmable via COC
Function Control	OSD Menu via COC (Control Over Coax)
Day & Night	Yes ( ICR )
BLC & HLC	Yes
WDR	Digital WDR
Digital NR	Yes
Defect Correction	Live defective pixel correction
S / N Ratio	> 52dB ( AGC off )
Electronic Shutter	1 / 50s ~ 1 / 100000s ( PAL ); 1 / 60s ~ 1 / 100000s ( NTSC )
AGC	Yes
White Balance	ATW, AWC→SET, Manual
Advanced Image	Sharpness, saturation, brightness, etc. are adjustable
<b>Others</b>	
Power Supply	DC12V ( ± 10% )
Working Environment	- 20 °C ~ 50 °C, 10 % ~ 90 % ( humidity )
Dimensions ( mm )	Φ109 x 130

NB: All specifications are subject to change without notice.

## Available Model

Ordering Part Number	TD-7525AE2-D/FZ/AR2
----------------------	---------------------