

# Silicone-Spray

## Introduction

Technical sprays are used in nearly all sectors of modern industry. These sprays are used for care and protection of surfaces, for cleaning, degreasing, dissolving and separating and are essential in daily business.



However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON Silicone Spray is an ideal lubricant and separating agent for rational production and servicing. At the same time, it assumes the function of a preservative and care product for plastic, rubber, and metal. WEICON Silicone Spray provides for a durable separating film and good surface properties.

## Applications

- Prevents the development of adhesive residue in presses and guides
- Prevents the adhesion of goods on conveyor belts, channels, and slideways
- Protects electrical contacts from moisture
- Cares for rubber, plastic, and metal parts
- Protects rubber parts from brittleness, freezing, and adhesion
- Lets sunshine roofs, seat rails, and the rollers of seatbelt run smoothly

## Technical data

Colour	colourless
Odour	solvent
Temperature resistance	-50 to +250 °C
Shelf life (minimum)	24 months
Special features	Silicone oil basis

## Processing

Clean and degrease surfaces to be treated. Shake can and spray at about 25 cm from surface.

## Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

## Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation.

We do guarantee the continuously high quality of our products.