

W 44 T

Introduction

Technical sprays are used in nearly all sectors of modern industry. These sprays are used for care and protection of surfaces, for cleaning, degreasing, dissolving and separating and are essential in daily business.



WEICON W 44 T covers a wide range of industrial and maintenance applications. Due to its special formula and excellent creep properties, corrosion protection, water resistance, lubrication, preservation, and cleaning are combined in one product.

W 44 T offers good protection against atmospheric influences. For this reason, it is used almost unlimitedly in the areas of workshops, automobiles, shipping, electrical systems, agriculture, household, and hobbies.

Applications

- Loosens seized screw connections, bolts, fittings, and valves, penetrates and dissolves rust, dispels moisture from electrical contacts, prevents leakage current and simplifies the starting of wet motors
- Eliminates the squeaking and creaking of hinges, guides, bearings, and all kinds of joints and couplings
- Cleans dirty metal surfaces and leaves behind a lasting, extremely thin film that does not smear, stick, or attract dust
- Protects and cares for all tools, machines, electrical and mechanical precision instruments (like measurement tools, locks, and weapons) and keeps them functional

Technical data

| | |
|------------------------|--|
| Colour | yellowish |
| Odour | vanilla |
| Temperature resistance | -50 to +210 °C |
| Shelf life (minimum) | 24 months |
| Special features | Multifunctional oil with multiple effect |

Processing

Shake can before use. Spray on evenly and at about 5 cm distance from surface and allow to react for 30 seconds.

Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation.

We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.