


Housing panel connector M23 Signal EMV-strain relief

Item number 7486600000



Technical data

Material housing	Zinc Die Cast , brass
Material housing surface	Nickel
Installation type	Rear wall
Version	Screw , TWILOCK
External thread (AG)	M25 x 1,5
External thread plug-in side	M23 x 1
Locking type	
Shield	shielded
Seal type	O-Ring
Material seals/o-rings	NBR
Coding position	
Panel hole	Ø 25 + 0,1 mm
Drill form	- mm
Wall thickness	max. 8 mm
Chamfer	
Flange	- mm



Housing panel connector M23 Signal EMV- strain relief

Item number 7486600000

Hole diameter	- mm
Length (L)	66.7 mm
Allen key/Torx	-
Wrench size (SW1/SW2)	24/24 mm
Cable diameter	11 - 17 mm
Protection class	IP 67 , IP 69 K
Temperature range	-40°C to +125°C



Housing panel connector M23 Signal EMV-strain relief

Item number 7486600000

Commercial data

Packaging Unit	25
EAN code	4033878503775
Weight	0.07542 kg
ETIM 7	EC003556
ETIM 8	EC003556
ETIM 9	EC003556
eCl@ss 10.1	27440224
Customs tariff number	85366990

Note:

